

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1709	((public near3 address) same (private near3 address) same network)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L2	578	L1 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L3	229	L2 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L4	465	L1 and ((name address ID) near2 (table database server)) same (NAT (network\$4 near3 transl\$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L5	465	L1 and ((name address ID) near2 (table database server)) same (NAT (network\$4 near3 transl\$5)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L6	265	L5 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L7	4712	370/352-356.ccls. and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L8	6114	370/389,392.ccls. and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L9	3936	370/401.ccls. and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L10	740	370/475.ccls. and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L11	2557	(((name address ID) near2 (table database server stor\$5 memory maintain\$5)) same (NAT (network\$4 near3 transl\$5)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L12	110	L7 and L11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04

L13	129	L8 and L11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L14	152	L9 and L11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L15	18	L10 and L11	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L16	724	L11 and ((dynamic\$6 vary\$5 varie\$3) near3 (address ID))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L17	35	L7 and L16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L18	52	L8 and L16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L19	42	L9 and L16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L20	8	L10 and L16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L21	3815	((broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7) near10 (address ID identif\$8)) and ((private near3 (address ID identif\$8)) same ((public\$7 global\$7) near3 (address ID identif\$8)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L22	1461	L21 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L23	228	L22 and (DNS (name near2 server)) and NAT	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L24	3815	((broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7) near10 (address ID identif\$8)) and ((private near3 (address ID identif\$8)) same ((public\$7 global\$7) near3 (address ID identif\$8)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L25	1461	L24 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L26	546	L25 and (DNS (name near2 server) DHCP)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04

L27	2513	((broadcast\$5 send\$5 sent transmi\$8 announc\$7) near5 (address ID identif\$8)) and ((private near3 (address ID identif\$8)) same ((public\$7 global\$7) near3 (address)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L28	939	L27 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L29	105	L28 and 709/245.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L30	198	((broadcast\$5 advertise) near5 (address ID identif\$8)) with network) and ((private near3 (address ID identif\$8)) same ((public\$7 global\$7) near3 (address)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L31	283	((broadcast\$5 advertis\$7) near5 (address ID identif\$8)) with network) and ((private near3 (address ID identif\$8)) same ((public\$7 global\$7) near3 (address)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L32	111	L31 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L33	538	(((without bypass\$5) near7 (NAT translat\$7 DNS)) and ((private near3 (address ID identif\$8)) same ((public\$7 global\$7) near3 (address)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L34	171	L33 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L35	1	"7412004".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L36	51	new near3 (public\$5 global\$5) near3 address\$5 near7 (broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7 advertis\$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L37	32	L36 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L38	2	PCT/JPO3/06387	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04

L39	3831	(public\$ global\$) near3 address\$ near7 (broadcast\$5 multicast\$5 send\$5 sent transmi\$8 announc\$7 advertis \$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L40	555	(new expir\$ chang\$) near3 (public\$ global\$) near3 address\$	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L41	239	L39 and L40	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L42	96	L41 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L43	4	(SCD same handoff same list). clm.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L44	1	"5109390".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L45	28	("5673322" "5793763" "5805803" "5822434" "5835718" "5884272" "5907677" "5918018" "5961593" "6003084" "6006264" "6052725" "6052788" "6154839" "6182226" "6298445" "6321336" "6502135" "6571290" "6591306" "6704873" "6725378" "6778525" "6789203" "6829654").PN. OR ("7039721").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/09/30 21:04
L46	5966	((choos\$ select\$) near7 (predefin\$ predetermin\$) near3 (profile info\$8) and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L47	5966	((choos\$ select\$) near7 (predefin\$ predetermin\$) near3 (profile info\$8) and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L48	437	L47 and ("726"/\$.cds. "370"/\$. cds.)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L49	21	L48 and (NAT DNS)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04

L50	195	L47 and (NAT DNS)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L51	174	L50 not L49	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L52	140	((choos\$5 select\$5) near7 ((based adj on) basis accord \$5) near7 ((predefin\$5 predetermin\$5) near3 (profile info\$8))) and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L53	60	((choos\$5 select\$5) near7 (subscriber client) near7 ((based adj on) basis accord \$5) near7 (QOS priority bandwidth)) and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L54	2112	(public\$7 near2 address) same ((private secur\$5 secret\$7 encrypt\$5 firewall\$5) near2 address)	US-PGPUB; USPAT	OR	ON	2010/09/30 21:04
L55	758	L54 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L56	631	L55 and ("370".clas. "455".clas. "709".clas. "726".clas.)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L57	2828	(((public\$7 global\$7) near2 address) same ((private secur \$5 secret\$7 encrypt\$5 firewall \$5) near2 address)	US-PGPUB; USPAT	OR	ON	2010/09/30 21:04
L58	716772	((broadcast\$5 send\$5 sent transmi\$8 announc\$7 notif\$7 identif\$7) near5 (address ID identif\$8))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L59	2897	(((public\$7 global\$7) near2 address) same ((private secur \$5 secret\$7 encrypt\$5 firewall \$5) near2 (address ID identif \$8))	US-PGPUB; USPAT	OR	ON	2010/09/30 21:04
L60	2695	L58 and L59	US-PGPUB; USPAT	OR	ON	2010/09/30 21:04
L61	52848	((broadcast\$5 send\$5 sent transmi\$8 announc\$7 notif\$7 identif\$7) near5 (address ID identif\$8)) with direct\$5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04

L62	541	L59 and L61	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L63	28792	((broadcast\$5 send\$5 sent transmi\$8 announc\$7 notif\$7 identif\$7) near5 (address ID identif\$8)) near5 direct\$5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L64	322	L59 and L63	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L65	21	L64 and daemon	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L66	16	L65 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L67	2897	(((public\$7 global\$7) near2 address) same ((private secur \$5 secret\$7 encrypt\$5 firewall \$5) near2 (address ID identif \$8))	US-PGPUB; USPAT	OR	ON	2010/09/30 21:04
L68	28792	((broadcast\$5 send\$5 sent transmi\$8 announc\$7 notif\$7 identif\$7) near5 (address ID identif\$8)) near5 direct\$5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L69	322	L67 and L68	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04
L70	141	L69 and (@pd<"20030905" or @rlad<"20030905" or @ptad<"20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2010/09/30 21:04

9/ 30/ 2010 9:14:36 PM

C:\ Documents and Settings\psinkantarakorn\ My Documents\ EAST\ Workspaces\ 10656834-2.wsp